

# Index to Volume 14, 1977

- Abbott Bichromatic Analyser, enzymatic determination of cholesterol and triglyceride, **22**
- ABDULLAH, J. SH., and GOWLAND, E.: An investigation into the immunological properties of the isoenzymes of human alkaline phosphatase, **212**
- ABSON, J., PRALL, A., and WOOTTON, I. D. P. Data processing in pathology laboratories; the Phoenix system. 1 The overall design and main facilities, 307. 2. The file structure and basic operations, 315. 3. Further programs, staff training, and system performance, 323
- Acidurias, organic, comprehensive screening method for detection in acutely sick infants and children, **149**
- Adrenal function index, use of early morning urine 11-hydroxycorticosteroid/creatinine ratios, **203**
- Albumin, serum, determination by bromocresol green method, influence of reagent quality and reaction conditions, **105**
- Alkaline phosphatase, human isoenzymes, investigation of immunological properties, **212**
- $\alpha$ -Aminoisobutyric acid, possible use to lower plasma glycine in non-ketotic hyperglycinaemia, **144**
- $\alpha$ -amylase, serum, determination of activity by continuous flow method, **350**
- Analysers, enzyme reaction rate, survey, **185**
- Assessment of the Beckman system no. 1, **288**
- Atomic absorption spectroscopy, flameless, estimation of gold in urine, **53**
- Automated fluoride ion determination. 1 determination of serum fluoride levels, **275**
- Automated fluoride ion determination. 2 determination of urine fluoride levels, **269**
- BARBOUR, HEATHER, M.: Enzymatic determination of cholesterol and triglyceride with the Abbott Bichromatic Analyser, **22**
- BARNES, S., and CHITRANUKROH, A.: A simplified procedure for the isolation of bile acids from serum, based on a batch extraction with the non-ionic resin, Amberlite XAD-7, **235**
- BARRANGER, J. See PARKER, C. E. *et al.*
- Beckman system no. 1, **288**
- BELFIELD, A., DUNCAN, ANNE, M., and REAVEY, P. C.: Enzyme multiplied immunoassay of phenobarbital by LKB reaction rate analyser, a comparison with analysis by gas-liquid chromatography, **218**
- BESSMAN, S. See PARKER, C. E. *et al.*
- BEVAN, B. R. See MOSLEY, J., and BEVAN, B. R.
- BIDDLE, SUSAN, A. See BRENTON, D. P. *et al.*
- Bile acids in serum, simplified isolation procedure based on batch extraction with Amberlite XAD-7, **235**
- BIRRELL, R. See SOLOMON, ANNE, E. *et al.*
- BLACK, J. A. See POLLITT, R. J. *et al.*
- Blood gas analysis, regional quality survey, **245**
- Blood lactate and pyruvate estimation in children, sampling technique, **285**
- Blood sampling technique for lactate and pyruvate estimation in children, **285**
- BOOK REVIEWS
- ABRAHAM, G. E. Editor: *Handbook of Radioimmunoassay Clinical and Biochemical Analysis*, 1977, **342**
- AHNFIELD, F. W., BURRI, C., DICK, W., and HALMAGY, M. Editors: *Parental Nutrition*, 1976, **244**
- ANTONIADES, H. N. Editor: *Hormones in Blood-Detection and Assay*, 1976, **182**
- BECK, J. C. *et al.*: *Polypeptide Hormones—Molecular and Cellular Aspects*, 1976, **184**
- BIANCHI, R., MARIANA, G., and MCFARLANE, A. S. Editors: *Plasma Protein Turnover*, 1976, **184**
- CHEN, R. F., and EDELHOCH, H. Editors: *Biochemical Fluorescence*, 1976, **120**
- CHRISTENSEN, H. N.: *Dissociation, Enzyme Kinetics, Bioenergetics*, 1975, **181**
- CROSIGNANI, P. G., and MISHILL, D. R. Editors: *Ovulation in the Human*, 1976, **355**
- DELAAT, A. N. C.: *Primer of Serology*, 1975, **59**
- DIXON, P. F., GRAY, C. H., LIM, G. K., and STOLL, M. S. Editors: *High Pressure Liquid Chromatography in Clinical Chemistry*, 1976, **182**
- DOSS, M. Editor: *Porphyryns in Human Diseases*, 1976, **60**
- DRESSER, D. W. Scientific Editor: *British Medical Bulletin*, Volume 2, No. 32. *Immunological Tolerance*, 1976, **180**
- FURMAN, W. B.: *Continuous Flow Analysis*, 1976, **181**
- GIBBINS, R. J., ISRAEL, Y., KALANT, H., POPHAM, R. E., SCHMIDT, W., and SMART, R. G. Editors: *Research Advances in Alcohol and Drug Problems*, volume 3, 1976, **355**
- HIMWICH, H. E. Editor: *Brain Metabolism and Cerebral Disorders*, 1976, **179**
- KOCKAKIAN, C. D. Editor: *Handbook of Experimental Pharmacology*, volume 43. *Anabolic-androgenic Steroids*, 1976, **268**
- LIEBER, C. S. Editor: *Metabolic Aspects of Alcoholism*, 1977, **342**
- MALKINSON, A. M.: *Hormone Action*, 1975, **182**
- MONTGOMERY, R., and SWENSON, C. A.: *Quantitative Problems in the Biochemical Sciences*, 1976, **244**
- PECILE, A., and MULLER, E. E. Editors: *Growth Hormone and Related Peptides*, 1976, **59**
- REID, E. Editor: *Assay of Drugs with other Trace Compounds in Biological Fluids*, 1976, **179**
- ROBINSON, J. W. L. Editor: *Intestinal Ion Transport*, 1976, **183**
- ROUTH, J. I., EYMAN, D. P., and BURTON, D. J.: *A Brief Introduction to General, Organic, and Biochemistry*, 2nd edition, 1976, **179**
- SINGHAL, R. L., and THOMAS, H. A. Editors: *Cellular Mechanisms Modulating Gonadal Hormone Action. Advances in Sex Hormone Research*, volume 2, 1976, **180**
- SMITH, A. E.: *Protein Biosynthesis*, 1976, **120**
- VALLANCE-OWEN, J. Editor: *Diabetes*, 1975, **181**
- WERNER, M.: *Microtechniques for the Clinical Laboratory*, 1976, **183**
- WILKINSON, J. H.: *The Principles and Practice of Diagnostic Enzymology*, 1976, **59**
- BRANDT, N. J., CHRISTENSEN, E., KØLVRAA, S., and RASMUSSEN, K.: D-Glyceric acidemia in non-ketotic hyperglycinaemia; new inborn error of metabolism, **142**
- BRENTON, D. P., CUSWORTH, D. C., BIDDLE, SUSAN, A., GARROD, P. J., and LASLEY, LOREY: *Pregnancy and homocysturia*, **161**
- BRIGGS, J. D. See SOLOMON, ANNE, E. *et al.*
- Bromocresol green method of determination of serum albumin, influence of reagent quality and reaction conditions, **105**
- BURNS, R. F. See SAUNDERS, R. A., and BURNS, R. F.

# Index to Volume 14, 1977

- Abbott Bichromatic Analyser, enzymatic determination of cholesterol and triglyceride, **22**
- ABDULLAH, J. SH., and GOWLAND, E.: An investigation into the immunological properties of the isoenzymes of human alkaline phosphatase, **212**
- ABSON, J., PRALL, A., and WOOTTON, I. D. P. Data processing in pathology laboratories; the Phoenix system. 1 The overall design and main facilities, 307. 2. The file structure and basic operations, 315. 3. Further programs, staff training, and system performance, 323
- Acidurias, organic, comprehensive screening method for detection in acutely sick infants and children, **149**
- Adrenal function index, use of early morning urine 11-hydroxycorticosteroid/creatinine ratios, **203**
- Albumin, serum, determination by bromocresol green method, influence of reagent quality and reaction conditions, **105**
- Alkaline phosphatase, human isoenzymes, investigation of immunological properties, **212**
- $\alpha$ -Aminoisobutyric acid, possible use to lower plasma glycine in non-ketotic hyperglycinaemia, **144**
- $\alpha$ -amylase, serum, determination of activity by continuous flow method, **350**
- Analysers, enzyme reaction rate, survey, **185**
- Assessment of the Beckman system no. 1, **288**
- Atomic absorption spectroscopy, flameless, estimation of gold in urine, **53**
- Automated fluoride ion determination. 1 determination of serum fluoride levels, **275**
- Automated fluoride ion determination. 2 determination of urine fluoride levels, **269**
- BARBOUR, HEATHER, M.: Enzymatic determination of cholesterol and triglyceride with the Abbott Bichromatic Analyser, **22**
- BARNES, S., and CHITRANUKROH, A.: A simplified procedure for the isolation of bile acids from serum, based on a batch extraction with the non-ionic resin, Amberlite XAD-7, **235**
- BARRANGER, J. See PARKER, C. E. *et al.*
- Beckman system no. 1, **288**
- BELFIELD, A., DUNCAN, ANNE, M., and REAVEY, P. C.: Enzyme multiplied immunoassay of phenobarbital by LKB reaction rate analyser, a comparison with analysis by gas-liquid chromatography, **218**
- BESSMAN, S. See PARKER, C. E. *et al.*
- BEVAN, B. R. See MOSLEY, J., and BEVAN, B. R.
- BIDDLE, SUSAN, A. See BRENTON, D. P. *et al.*
- Bile acids in serum, simplified isolation procedure based on batch extraction with Amberlite XAD-7, **235**
- BIRRELL, R. See SOLOMON, ANNE, E. *et al.*
- BLACK, J. A. See POLLITT, R. J. *et al.*
- Blood gas analysis, regional quality survey, **245**
- Blood lactate and pyruvate estimation in children, sampling technique, **285**
- Blood sampling technique for lactate and pyruvate estimation in children, **285**
- BOOK REVIEWS
- ABRAHAM, G. E. Editor: *Handbook of Radioimmunoassay Clinical and Biochemical Analysis*, 1977, **342**
- AHNFIELD, F. W., BURRI, C., DICK, W., and HALMAGY, M. Editors: *Parental Nutrition*, 1976, **244**
- ANTONIADES, H. N. Editor: *Hormones in Blood-Detection and Assay*, 1976, **182**
- BECK, J. C. *et al.*: *Polypeptide Hormones—Molecular and Cellular Aspects*, 1976, **184**
- BIANCHI, R., MARIANA, G., and MCFARLANE, A. S. Editors: *Plasma Protein Turnover*, 1976, **184**
- CHEN, R. F., and EDELHOCH, H. Editors: *Biochemical Fluorescence*, 1976, **120**
- CHRISTENSEN, H. N.: *Dissociation, Enzyme Kinetics, Bioenergetics*, 1975, **181**
- CROSIGNANI, P. G., and MISHILL, D. R. Editors: *Ovulation in the Human*, 1976, **355**
- DELAAT, A. N. C.: *Primer of Serology*, 1975, **59**
- DIXON, P. F., GRAY, C. H., LIM, G. K., and STOLL, M. S. Editors: *High Pressure Liquid Chromatography in Clinical Chemistry*, 1976, **182**
- DOSS, M. Editor: *Porphyrins in Human Diseases*, 1976, **60**
- DRESSER, D. W. Scientific Editor: *British Medical Bulletin*, Volume 2, No. 32. *Immunological Tolerance*, 1976, **180**
- FURMAN, W. B.: *Continuous Flow Analysis*, 1976, **181**
- GIBBINS, R. J., ISRAEL, Y., KALANT, H., POPHAM, R. E., SCHMIDT, W., and SMART, R. G. Editors: *Research Advances in Alcohol and Drug Problems*, volume 3, 1976, **355**
- HIMWICH, H. E. Editor: *Brain Metabolism and Cerebral Disorders*, 1976, **179**
- KOCKAKIAN, C. D. Editor: *Handbook of Experimental Pharmacology*, volume 43. *Anabolic-androgenic Steroids*, 1976, **268**
- LIEBER, C. S. Editor: *Metabolic Aspects of Alcoholism*, 1977, **342**
- MALKINSON, A. M.: *Hormone Action*, 1975, **182**
- MONTGOMERY, R., and SWENSON, C. A.: *Quantitative Problems in the Biochemical Sciences*, 1976, **244**
- PECILE, A., and MULLER, E. E. Editors: *Growth Hormone and Related Peptides*, 1976, **59**
- REID, E. Editor: *Assay of Drugs with other Trace Compounds in Biological Fluids*, 1976, **179**
- ROBINSON, J. W. L. Editor: *Intestinal Ion Transport*, 1976, **183**
- ROUTH, J. I., EYMAN, D. P., and BURTON, D. J.: *A Brief Introduction to General, Organic, and Biochemistry*, 2nd edition, 1976, **179**
- SINGHAL, R. L., and THOMAS, H. A. Editors: *Cellular Mechanisms Modulating Gonadal Hormone Action. Advances in Sex Hormone Research*, volume 2, 1976, **180**
- SMITH, A. E.: *Protein Biosynthesis*, 1976, **120**
- VALLANCE-OWEN, J. Editor: *Diabetes*, 1975, **181**
- WERNER, M.: *Microtechniques for the Clinical Laboratory*, 1976, **183**
- WILKINSON, J. H.: *The Principles and Practice of Diagnostic Enzymology*, 1976, **59**
- BRANDT, N. J., CHRISTENSEN, E., KØLVRAA, S., and RASMUSSEN, K.: D-Glyceric acidemia in non-ketotic hyperglycinaemia; new inborn error of metabolism, **142**
- BRENTON, D. P., CUSWORTH, D. C., BIDDLE, SUSAN, A., GARROD, P. J., and LASLEY, LOREY: *Pregnancy and homocysturia*, **161**
- BRIGGS, J. D. See SOLOMON, ANNE, E. *et al.*
- Bromocresol green method of determination of serum albumin, influence of reagent quality and reaction conditions, **105**
- BURNS, R. F. See SAUNDERS, R. A., and BURNS, R. F.

- BURR, W. A. *See* EVANS, S. E. *et al.*
- BUTTERY, J. E. *See* LOH, G. W., and BUTTERY, J. E.
- Calcium concentration, serum and plasma, differences initially and after storage, **39**
- Calcium, plasma, in acute myocardial infarction, **45**
- CAMERON, J. D. *See* CHAMBERS, R. E., and CAMERON, J. D.
- CARNEY, J. A., OSIBELUWO, S. A., CLEMENTS, J. A., and JAY, R. F.: A continuous flow method for the estimation of serum  $\alpha$ -amylase activity, **350**
- CARNEY, J. *See* LANDON, J. *et al.*
- CARR, P. J., MILLAR, R. P., and CROWLEY, H.: A simple radioimmunoassay for plasma cortisol; comparison with the fluorimetric method of determination, **207**
- CARSON, N. A. J., and REDMOND, O. A. B.: Lysinuric protein intolerance, **135**
- CentrifChem centrifugal microanalyser, long-term evaluation during routine use in the clinical biochemistry laboratory, **279**
- Cerebrospinal fluid clearance studies, hydrodynamic radii versus molecular weights, **100**
- CHALLAND, G. S., KITCHIN, E. G., MCCALLUM, MARY, and MOORE, C. J.: One year's experience with a regional hormone assay service, **254**
- CHALMERS, R. A., WATTS, R. W. E., and LAWSON, A. M.: A comprehensive screening method for detecting organic acidurias and other metabolic diseases in acutely sick infants and children, **149**
- CHAMBERS, R. E., and CAMERON, J. D.: Technical note. N-acetyltryptophan ethyl ester: a new internal standard for the gas chromatographic determination of plasma anti-convulsant levels, **243**
- CHITRANUKROH, A. *See* BARNES, S., and CHITRANUKROH, A.
- Cholesterol and triglyceride determination, enzymatic, using Abbott Bichromatic Analyser, **22**
- CHRISTENSEN, E. *See* BRANDT, N. J. *et al.*
- CLARK, P. M. S., and KRICKA, L. J.: Interference by diazepam in the determination of 5-hydroxyindole-3-acetic acid, **233**
- Clearance studies in urine and cerebrospinal fluids, hydrodynamic radii versus molecular weights, **100**
- CLEMENTS, J. A. *See* CARNEY, J. A. *et al.*
- COCKBURN, F. *See* HARKNESS, R. A. *et al.*
- Comparison of maternal serum and urinary oestrogens determinations as indicators of fetal well-being, **335**
- Comprehensive screening method for detecting organic acidurias and other metabolic disease in acutely sick infants and children, **149**
- Continuous flow method for the estimation of serum  $\alpha$ -amylase activity, **350**
- Continuous flow radioimmunoassay, development and application of a fully automated system, **1**
- Cortisol binding by human plasma proteins, some physiological factors affecting, **35**
- Cortisol, plasma, comparison of simple radioimmunoassay and fluorimetric methods of determination, **207**
- Cortisol, plasma, determination by radioimmunoassay, **353**
- COWELL, D. C.: Automated fluoride ion determination; determination of serum fluoride ion levels, **275**
- COWELL, D. C.: Automated fluoride ion determination; determination of urine fluoride ion levels, **269**
- Creatinine, serum, determination by reaction with methyl-3,5-dinitrobenzoate in methyl sulfoxide, **227**
- CROWLEY, H. *See* CARR, P. J. *et al.*
- CUSWORTH, D. C. *See* BRENTON, D. P. *et al.*
- DARLING, J. A. B. *See* HARKNESS, R. A. *et al.*
- DAS, ROSE, E. G. *See* JEFFCOATE, S. L., and DAS, ROSE, E. G.
- Data processing in pathology laboratories; the Phoenix system, **307, 315, 323**
- deGROOT, C. J., TOUWEN, B. C. L., HUISJES, H. J., and HOMMES, F. A.: Early findings of a case of non-ketotic hyperglycinemia, **140**
- de KORT, A. F. M. *See* KOLLÉE, L. A. A. *et al.*
- Determination of cortisol in human plasma by radioimmunoassay, **343**
- Determination of serum creatinine by reaction with methyl-3,5-dinitrobenzoate in methyl sulfoxide, **227**
- Determination of the anticonvulsant drug, dipropyl acetate (Epilim) in human plasma by gas chromatography, **240**
- Development and application of a fully automated continuous flow radioimmunoassay system, **1**
- Diagnosis of urea cycle disorders, **136**
- Diagnostic value of urine mercury measurements, **297**
- Diazepam interference in determination of 5-hydroxyindole-3-acetic acid, **233**
- Differences in the calcium concentration of serum and plasma, initially and after storage, **39**
- Different phenotypes for phenylalanine hydroxylase deficiency, **124**
- Dipropyl acetate (Epilim) in human plasma, determination by gas chromatography, **240**
- DUNCAN, ANNE, M. *See* BELFIELD, A. *et al.*
- DUNKLEY, J. V., and STAYNES, F. A.: The estimation of gold in urine by flameless atomic absorption spectroscopy, **53**
- Early findings of a case of non-ketotic hyperglycinemia, **140**
- Effect of stopping low phenylalanine diet on the intellectual progress of children with phenylketonuria, **134**
- Enzymatic determination of cholesterol and triglyceride with the Abbott Bichromatic Analyser, **22**
- Enzyme measurement of hair follicles in the study of some inborn errors of metabolism, with particular reference to Hurler's disease, **157**
- Enzyme multiplied immunoassay of phenobarbital by LKB Reaction Rate Analyser; a comparison with analysis by liquid chromatography, **218**
- Enzyme reaction rate analysers, a survey of those readily available in the United Kingdom, **185**
- Enzymes and isoenzymes, serum, after surgery, **294**
- Enzymes, measurement by radioimmunoassay, review, **90**
- Enzymes, serum levels in healthy old people, **118**
- Enzyme studies on a new case of ornithine carbamoyl transferase deficiency, problems and method of diagnosis based on plasma enzyme ratios, **139**
- ERSER, R. S. *See* SEAKINS, J. W. T. *et al.*
- Estimation of gold in urine by flameless atomic absorption spectroscopy, **53**
- EVANS, S. E., BURR, W. A., and HOGAN, T. C.: A reassessment of 8-anilino-1-naphthalene sulphonic acid as a thyroxine binding inhibitor in the radioimmunoassay of thyroxine, **330**
- Faecal fat estimation by calorimetry, **116**
- FAHMY, DIANA, R. *See* READ, G. F. *et al.*
- FELGENHAUER, K., and RENNER, E.: Hydrodynamic radii versus molecular weights in clearance studies of urine and cerebrospinal fluid, **100**
- FEW, J. D., and HASPINEALL, J. R.: Some physiological factors affecting the binding of cortisol by human proteins, **35**
- FINK, R. *See* KRAFFT, J. *et al.*
- FLEETWOOD, J. A., LATNER, A. L., MARRINER, A., SKILLEN, A. W., and SMITH, P. A.: A long-term evaluation of the CentrifChem centrifugal microanalyser during routine use in the clinical chemistry laboratory, **279**
- Flow cell modification of a filter fluorimeter producing improved throughput and precision, **29**
- Fluoride ions in serum, automated determination, **275**
- Fluoride ions in urine, automated determination, **269**

- Fluorimeter, filter, flow cell modification producing improved throughput and precision, **29**
- FORREST, G. C.: Development and application of a fully automated continuous flow radioimmunoassay system, **1**
- FULLER, B. See POTEZNEY, N. *et al.*
- GARROD, P. J. See BRENTON, D. P. *et al.*
- GEARY, T. D. See POTEZNEY, N. *et al.*
- GIBBS, DOROTHY, A.: Enzyme measurements of hair follicles in the study of some inborn errors of metabolism with particular reference to Hurler's disease, **157**
- GILES, M. M. See HARKNESS, R. A. *et al.*
- GIORGIO, ELEONORA, P., GORE, MARION, B. R., and TYE GILLIAN, M.: comparison of maternal serum and urinary oestrogen determinations as indicators of fetal well-being, **335**
- Glucose, modification of Trinder's autoanalyser method, **223**
- D-Glyceric acidemia in non-ketotic hyperglycinaemia, a new inborn error of metabolism, **142**
- Gold, urine, estimation by flameless atomic absorption spectroscopy, **53**
- GOLDIE, D. J. See HAYNES, S. P., and GOLDIE, D. J.
- GORE, MARION, B. R. See GIORGIO, ELEONORA, P. *et al.*
- GOWENLOCK, A. H.: Tests of exocrine pancreatic function, scientific review no. 4, **61**
- GOWLAND, E. See ABDULLAH, J. SH., and GOWLAND, E.
- GRANT, M. See HARKNESS, R. A. *et al.*
- GRAY, R. G. F. See POLLITT, R. J. *et al.*
- GÜTTLER, F., and HANSEN, G.: Different phenotypes for phenylalanine hydroxylase deficiency, **124**
- Hair follicles, enzyme measurements in some inborn errors of metabolism, particularly Hurler's disease, **157**
- HANSEN, G. See GÜTTLER, F., and HANSEN, G.
- HARKNESS, R. A., COCKBURN, F., GRANT, M., GILES, M. M., TURNER, T. L., and DARLING, J. A. B.: A new variety of maple syrup disease, **146**
- HASPINALL, J. R. See FEW, J. D., and HASPINALL, J. R.
- HAYNES, S. P., and GOLDIE, D. J.: Simultaneous radioimmunoassay of thyroid hormones in unextracted serum, **12**
- Heat inactivation of thyroxine binding globulin, prior to serum thyroxine measurement by competitive protein binding, **261**
- HENRY, D. A. See SOLOMON, ANNE, E. *et al.*
- HOGAN, T. C. See EVANS, S. E. *et al.*
- HOMMES, F. A. See DEGROOT, C. J. *et al.*
- Homocystinuria and pregnancy, **161**
- Hydrodynamic radii versus molecular weights in clearance studies of urine and cerebrospinal fluid, **100**
- 11-Hydroxycorticosteroid/creatinine ratios in early morning urine samples as an index of adrenal function, **203**
- 5-Hydroxyindole-3-acetic acid determination, interference by diazepam, **233**
- Hyperglycinaemia, non-ketotic, D-glyceric acidemia, **142**
- Hyperglycinaemia, non-ketotic, early findings in a case, **140**
- Hyperglycinaemia, non-ketotic, possible use of  $\alpha$ -aminoisobutyric acid to lower plasma glycine, **144**
- Hurler's disease, enzyme measurements of hair follicles, **157**
- HUISJES, H. J. See DE GROOT, C. J. *et al.*
- Immunoassay of phenobarbital, enzyme multiplied, comparison with analysis by gas-liquid chromatography, **218**
- Inactivation *in vitro* of lactate dehydrogenase-5 in blood, **48**
- Inborn errors of metabolism. Symposium, 1975, **121**
- Inborn errors of metabolism and Hurler's disease, enzyme measurement of hair follicles, **157**
- Influence of reagent quality and reaction conditions on the determination of serum albumin by the bromocresol green dye binding method, **105**
- Interference by diazepam in the determination of 5-hydroxyindole-3-acetic acid, **233**
- Interlaboratory comparison of radioimmunoassay results; variation produced by different methods of calculation, **258**
- Investigation into the immunochemical properties of the isoenzymes of human alkaline phosphatase, **212**
- Ion-specific electrode, problems associated with sweat measurements, **171**
- Isoenzymes of human alkaline phosphatase, investigation into immunochemical properties, **212**
- Isoenzymes of phenylalanine hydroxylase in humans, **122**
- JAY, R. F. See CARNEY, J. A. *et al.*
- JEFFCOATE, S. L., and DAS, ROSE, E. G.: Interlaboratory comparison of radioimmunoassay results, variation produced by different methods of calculation, **258**
- JENNINGS, R. D.: A simple, rapid and precise automated method for the determination of  $T_a$ -uptake, **263**
- KITCHEN, E. G. See CHALLAND, G. S. *et al.*
- KNEPIEL, J. See SOLOMON, ANNE, E. *et al.*
- KOLLÉE, L. A. A., WILLEMS, J. L., DE KORT, A. F. M., MONNENS, L. A. H., and TRIJBELS, J. M. F.: Blood sampling technique for lactate and pyruvate estimation in children, **285**
- KØLVRAA, S. See BRANDT, N. J. *et al.*
- KRAFFT, J., FINK, R., and ROSALKI, S. B.: Serum enzymes and isoenzymes after surgery, **294**
- KRICKA, L. J. See CLARK, P. M. S., and KRICKA, L. J.
- Lactate and pyruvate in children's blood, sampling techniques, **285**
- Lactate dehydrogenase-5, inactivation *in vitro* in blood, **48**
- Lactogen assay, Spline function applied to, **16**
- LANDON, J., CARNEY, J., and LANGLEY, D.: The measurement of enzymes by radioimmunoassay, a review, **90**
- LANGLEY, D. See LANDON, J. *et al.*
- LASLEY, LOREY. See BRENTON, D. P. *et al.*
- LATNER, A. L. See FLEETWOOD, J. A. *et al.*
- LAWSON, A. M. See CHALMERS, R. A. *et al.*
- LESTER, EVA: Serum enzyme levels in healthy old people, **118**
- LESTER, EVA, and VARGHESE, Z.: Differences in the calcium concentration of serum and plasma, initially and after storage, **39**
- LOBASCHER, M. See SMITH, I. *et al.*
- LOH, G. W., and BUTTERY, J. E.: Heat inactivation of thyroxine binding globulin prior to serum thyroxine measurement by competitive protein binding, **261**
- Long-term evaluation of the CentriChem centrifugal microanalyser during routine use in the clinical chemistry laboratory, **279**
- LYONS, V. H. See POLLITT, R. J. *et al.*
- Lysinuric protein intolerance, **135**
- MARKS, V. See TAYLOR, A., and MARKS, V.
- MCCALLUM, MARY. See CHALLAND, G. S. *et al.*
- Maple syrup urine disease, a new variety, **146**
- MARRINER, A. See FLEETWOOD, J. A. *et al.*
- Measurement of enzymes by radioimmunoassay, a review, **90**
- Mercury in urine, diagnostic value of measurement, **297**
- MILLAR, R. P. See CARR, P. J. *et al.*
- MINTY, BARBARA, D., and NUNN, J. F.: Regional quality control survey of blood gas analysis, **245**
- Modification of the Trinder autoanalyser method for glucose, **223**
- MONNENS, L. A. H. See KOLLÉE, L. A. A. *et al.*
- MOORE, C. J. See CHALLAND, G. S. *et al.*
- MORRISON, B. See SHENKIN, A. *et al.*
- MOSLEY, J., and BEVAN, B. R.: Spline function analysis applied to human placental lactogen assay, **16**

## Myocardial infarction and plasma calcium, 45

NEWHOUSE, REBECCA. See PARKER, C. E. *et al.*

New variety of maple syrup urine disease, 146

NUNN, J. F. See MINTY, BARBARA, and NUNN, J. F.

OBERHOLZER, V. G. See PALMER, T., and OBERHOLZER, V. G.  
One year's experience with a regional hormone assay service, 254

Ornithine carbamoyl transferase deficiency, enzyme studies in new case, 139

OSIBELUWO, S. A. See CARNEY, J. A. *et al.*

PALMER, T., and OBERHOLZER, V. G.: Diagnosis of urea cycle disorders, 136

Pancreatic function tests, Scientific review, no. 4, 61

Paracetamol estimation, comparison of a quick colorimetric method with a standard spectrophotometric method, 55

Paracetamol poisoning, therapeutic comparison of thiol compounds, 200

PAREKH, A. C. See SIMS, C., and PAREKH, A. C.

PARKER, C. E., BARRANGER, J., NEWHOUSE, REBECCA, and BESSMAN, S.: The isoenzymes of phenylalanine hydroxylase in humans, 122

PARTRIDGE, J. W. See SEAKINS, J. W. T. *et al.*

Phenylalanine hydroxylase deficiency, different phenotypes, 124

Phenylalanine hydroxylase, isoenzymes in humans, 122

Phenylalanine-low diet, effect of stopping on intellectual progress of children, 134

Phoenix system of data processing in pathology laboratories, 307

Placental lactogen assay, spline function analysis applied to, 16

Plasma anticonvulsant levels, new internal standard for gas chromatographic determination, n-acetyltryptophan ethyl ester, 243

Plasma calcium in acute myocardial infarction, 45

Plasma cortisol, determination by radioimmunoassay, 343

Plasma cortisol determination, comparison of radioimmunoassay and fluorimetric method, 207

Plasma dipropyl acetate (Epilim), determination by gas chromatography, 240

Plasma paracetamol estimation, comparison of quick colorimetric and standard spectrophotometric methods, 55

Plasma protein binding of cortisol, some physiological factors affecting, 35

POLLITT, R. J., BLACK, J. A., GRAY, R. G. F., and LYONS, V. H.: Enzyme studies on a new case of ornithine carbamoyl transferase deficiency, remaining problems and a method of diagnosis based on plasma enzyme ratios, 139

Possible use of  $\alpha$ -aminoisobutyric acid to lower plasma glycine in non-ketotic hyperglycinaemia, 144

POTENZY, N., QUELCH, J., FULLER, B., and GEARY, T. D.: Assessment of the Beckman system 1, 288

PRALL, A.: See ABSON, J. *et al.*

Pregnancy and homocystinuria, 161

PRICE, C. P., and SPENCER, K.: Problems associated with measuring sweat chloride concentration with an ion-specific electrode, 171

PRICE, C. P. See SPENCER, K., and PRICE, C. P.

PRICE, C. P. See SPENCER, K. *et al.*

Problems associated with measuring sweat chloride concentration with an ion-specific electrode, 171

PRYCE, J. D.: Estimation of faecal fat by calorimetry, 116

QUELCH, J. See POTENZY, N. *et al.*QURESHI, A. R., and WILKINSON, J. H.: Inactivation *in vitro* of lactate dehydrogenase-5 in blood, 48

Radioimmunoassay determination of human plasma cortisol, 343

Radioimmunoassay, development and application of a fully automated continuous flow system, 1

Radioimmunoassay for plasma cortisol, comparison with fluorimetric method of determination, 207

Radioimmunoassay measurement of enzymes, a review, 90

Radioimmunoassay of thyroid hormones in unextracted serum, 12

Radioimmunoassay results, interlaboratory comparison variation produced by different methods of calculation, 258

RASMUSSEN, K. See BRANDT, N. J. *et al.*

READ, G. F., FAHMY, DIANA, R., and WALKER, R. F.: Determination of cortisol in human plasma by radioimmunoassay, 343

Reassessment of 8-anilino-1-naphthalene sulphonate as a thyroxine binding inhibitor in the radioimmunoassay of thyroxine, 330

REAVEY, P. C. See BELFIELD, A. *et al.*

REDMOND, O. A. B. See CARSON, N. A. J., and REDMOND, O. A. B.

Regional hormone assay service, one year's experience, 254

Regional quality control survey of blood gas analysis, 245

RENNER, E. L. See FELGENHAUER, K., and RENNER, E.

RICHARDSON, T.: A modification of the Trinder autoanalyser method for glucose, 223

ROBERTSON, D. A. See SHENKIN, A. *et al.*ROSALKI, S. B. See KRAFFT, J. *et al.*

SAUNDERS, R. A., and BURNS, R. F.: Technical Bulletin no. 37

A survey of enzyme reaction rate analysers readily available in the United Kingdom, 185

Scientific Review, no. 4: Tests of exocrine pancreatic function, 61

Screening method for detecting organic acidurias and other metabolic disease in acutely sick infants and children, 149

SEAKINS, J. W. T., ERSER, R. S., and PARTRIDGE, J. W.: Possible use of  $\alpha$ -aminoisobutyric acid to lower plasma glycine in non-ketotic hyperglycinaemia, 144

Serum albumin determination by bromocresol green dye binding method, influence of reagent quality and reaction conditions, 105

Serum and plasma calcium, differences in concentration initially and after storage, 39

Serum and urinary oestrogen determinations as indicators of fetal well-being, 335

Serum and urinary fluoride ions, automated determination, 275

Serum  $\alpha$ -amylase activity, determination by continuous flow method, 350

Serum bile acids, simplified isolation procedure based on batch extraction with Amberlite XAD-7, 235

Serum creatinine, determination by reaction with methyl-3,5-dinitrobenzoate in methyl sulfoxide, 227

Serum enzymes and isoenzymes after surgery, 294

Serum thyroid hormones, simultaneous radioimmunoassay, 12

Serum thyroxine measurement by competitive protein binding, prior heat inactivation of thyroxine binding globulin, 261

SHENKIN, A., MORRISON, B., and ROBERTSON, D. A.: Some problems in the correction for intrinsic light-scattering of samples in specific protein analysis by automated immunoprecipitation, 163

Short Report. Estimation of faecal fat by calorimetry, 116

Short Report. Serum enzyme levels in healthy old people, 118

Simple radioimmunoassay for plasma cortisol, comparison with the fluorimetric method of determination, 207

Simple, rapid and precise automated method for the determination of  $T_3$ -uptake, 263



- Simplified procedure for the isolation of bile acids from serum based on a batch extraction with the non-ionic resin, Amberlite XAD-7, **235**
- SIMS, C., and PAREKH, A. C.: Determination of serum creatinine by reaction with methyl-3,5-dinitrobenzoate in methyl sulfoxide, **227**
- Simultaneous radioimmunoassay of thyroid hormones in unextracted serum, **12**
- SKILLEN, A. W. See FLEETWOOD, J. A. *et al.*
- SMITH, I., LOBASCHER, M., STEVENSON, J., and WOLFF, O. H.: Effect of stopping low phenylalanine diet on the intellectual progress of children with phenylketonuria, **134**
- SMITH, P. A. See FLEETWOOD, J. A. *et al.*
- SOLOMON, ANNE E., BRIGGS, J. D., KNEPIL, J., HENRY, D. A., WINCHESTER, J. F., and BIRRELL, R.: Therapeutic comparison of thiol compounds in severe paracetamol poisoning, **200**
- Some physiological factors affecting the binding of cortisol by human plasma proteins, **35**
- Some problems in the correction for intrinsic light-scattering of samples in specific protein analysis by automated immunoprecipitation, **163**
- Specific protein analysis by automated immunoprecipitation, problems in the correction for light-scattering of samples, **163**
- SPENCER, K. See PRICE, C. P., and SPENCER, K.
- SPENCER, K., and PRICE, C. P.: Influence of reagent quality and reaction conditions on the determination of serum albumin by the bromocresol green dye binding method, **105**
- SPENCER, K., SUTHERLAND, I. T., and PRICE, C. P.: Flow cell modification of a filter fluorimeter producing improved throughput and precision, **29**
- Spline function analysis applied to human placental lactogen assay, **16**
- STAYNES, F. A. See DUNKLEY, J. V., and STAYNES, F. A.
- STEVENSON, J. See SMITH, I. *et al.*
- Survey of enzyme reaction rate analysers readily available in the United Kingdom, Technical Bulletin no. 37, **185**
- SUTHERLAND, I. T. See SPENCER, K. *et al.*
- Sweat chloride measurement, problems associated with an ion-specific electrode, **171**
- Symposium, 1975. Inborn errors of metabolism, **121**
- T<sub>3</sub>-uptake, simple rapid, precise automated method for determination, **263**
- TAYLOR, A., and MARKS, V.: Diagnostic value of urine mercury measurements, **297**
- Technical Bulletin no. 37: A survey of enzyme reaction rate analysers readily available in the United Kingdom, **185**
- Technical Bulletin no. 38: Transport of specimens for clinical chemistry analysis, **301**
- Technical note: N-acetyltryptophan ethyl ester, a new internal standard for gas chromatographic determination of plasma anticonvulsant levels, **243**
- Tests of exocrine pancreatic function, Scientific Review no. 4, **61**
- Therapeutic comparison of thiol compounds in severe paracetamol poisoning, **200**
- Thiol compounds in paracetamol poisoning, therapeutic comparison, **200**
- Thyroid hormones in unextracted serum, simultaneous radioimmunoassay, **12**
- Thyroxine, radioimmunoassay, reassessment of 8-anilino-1-naphthalene sulfonic acid as a thyroxine binding inhibitor, **330**
- Thyroxine, serum, measurement after heat inactivation of thyroxine binding globulin, prior to measurement, **261**
- TOSELAND, P. A. See U-SCHULZ, H., and TOSELAND, P. A.
- TOUWEN, B. C. L. See de GROOT, C. J. *et al.*
- Transport of specimens for clinical chemistry analysis. Technical Bulletin no. 38, **301**
- TRUBELS, J. M. F. See KOLLÉE, L. A. A. *et al.*
- Triglyceride and cholesterol, enzymatic determination using Abbott Bichromatic analyser, **22**
- TURNER, T. L. See HARKNESS, R. A. *et al.*
- TYE, GILLIAN, M. See GIORGI, ELEONORA, P. *et al.*
- Urea cycle disorder, diagnosis, **136**
- Urinary and serum oestrogen determinations as indicators of fetal well-being, **335**
- Urinary free 11-hydroxycorticosteroid/creatinine ratios in early morning urine samples as an index of adrenal function, **203**
- Urinary fluoride ions, automated determination, **269**
- Urine clearance studies, hydrodynamic radii versus molecular weights, **100**
- Urine gold, estimation by flameless atomic absorption spectroscopy, **53**
- Urine mercury measurement, diagnostic value, **297**
- U-SCHULZ, H., and TOSELAND, P. A.: Determination of the anti-convulsant drug (Epilim) in human plasma by gas chromatography, **240**
- VARGHESE, Z. See LESTER, EVA, and VARGHESE, Z.
- WALKER, M. S.: Urinary free 11-hydroxycorticosteroid/creatinine ratios in early morning urine samples as an index of adrenal function, **203**
- WALKER, R. F. See READ, G. F. *et al.*
- WATTS, R. W. E. See CHALMERS, R. A. *et al.*
- WIENER, K.: paracetamol estimation, comparison of a quick colorimetric method with a standard spectrophotometric method, **59**
- WIENER, K.: Plasma calcium in acute myocardial infarction, **45**
- WILDE, C. E. See WILDING, P. *et al.*
- WILDING, P., ZILVA, J. F., and WILDE, C. E.: Technical Bulletin no. 38. Transport of specimens for clinical chemistry analysis, **301**
- WILKINSON, J. H. See QURESHI, A. R., and WILKINSON, J. H.
- WILLEMS, J. L. See KOLLÉE, L. A. A. *et al.*
- WINCHESTER, J. F. See SOLOMON, ANNE E. *et al.*
- WOLFF, O. H. See SMITH, I. *et al.*
- WOOTTON, I. D. P.: See ABSON, J. *et al.*
- ZILVA, J. F. See WILDING, P. *et al.*

